

COMPARATIVE ANALYSIS OF FACE, IRIS AND FINGERPRINT RECOGNITION SYSTEMS

Adedeji Oluyika Titilayo*, Falohun Adeleye Samuel, Alade Oluwaseun Modupe,
Omidiora Elijah Olusayo, Olabiyisi Stephen Olatunde

Department of Computer Science and Engineering, Ladoke Akintola University of
Technology, Ogbomoso, Nigeria.

Article Received on 09/05/2018

Article Revised on 30/05/2018

Article Accepted on 20/06/2018

*Corresponding Author

Adedeji Oluyika Titilayo

Department of Computer
Science and Engineering,
Ladoke Akintola University
of Technology, Ogbomoso,
Nigeria.,

ABSTRACT

Biometrics is the science of establishing the identity of an individual based on the physical chemical or behavioural attributes of the person. Among these face, iris and fingerprint have remained the most researched and commonest means of biometric recognition. This paper conducted a comparative analysis of face, iris and fingerprint recognition systems on images captured in an uncontrolled environment. The images were first preprocessed and features were

extracted using Discrete Wavelet Transform while Euclidean distance was used for classification at both training and testing stages. The performance of the developed system was evaluated using training time, accuracy and testing time. Experimental results revealed that Iris recognition system has the highest recognition accuracy of 85.5% while the least average recognition time of 1.28sec was recorded with Fingerprint recognition system.

KEYWORDS: *Biometrics, Biometric system, Recognition System, Discrete Wavelet Transform.*

1.0 INTRODUCTION

Identification of individuals by means of what they know (like password) or what they have (like smartcards) is not sufficient to meet today's increased demand for enhanced security systems. This is due to the fact that passwords can be forgotten or guessed and tokens can be

lost or stolen. In contrast, biometrics provides a convenient means of human identification as it is based on what you are that cannot be stolen, lost or forgotten. Biometrics is the science of establishing the identity of an individual based on the physical, chemical or behavioural attributes of the person (Krishnewari and Arumugam 2012a). These characteristics include features like fingerprints, face, iris, DNA, gait and so on. A biometric system is essentially a pattern-recognition system that recognizes a person based on these characteristics (Valavan and Kalaivani, 2014; Adedeji *et. al.*, 2015). Among these traits, face, fingerprint and iris are the most researched and most commonly used for personal identification.

Facial attributes are the most common biometric features used by humans to recognize one another (Omidiora, 2006). Face recognition deals with automatic recognition of human beings by comparing their faces with already stored ones in the face database (Jain and Ross, 2004; Omidiora, 2006; Omidiora, Fakolujo, Ayeni and Adeyanju, 2008; Adedeji, 2012; Adedeji, Omidiora, Olabiyisi and Adigun, 2012). The iris is a thin circular diaphragm, lying between the cornea and the lens of the human eye. It is bounded by the pupil and sclera (white of the eye) on either side. Iris controls the amount of light that enters the pupil.

It contains complex pattern which are unique to individual, also these patterns have been proved to be stable throughout lifetime. Even iris pattern of both eyes of the same person are not the same (Daugman, 2004; Kim, Shin, Lee and Park, 2012; Adegoke, Omidiora, Ojo and Falohun, 2013).

An iris recognition system involves utilizing the information stored in an iris pattern for human identification and verification. Iris recognition is considered to be one of the most efficient biometric technologies due to its high inter-class variability and low intra-class variability which implies a very high accuracy (Falohun, 2012; Kim *et. al.*, 2012; Ali *et. al.*, 2016). Humans have used fingerprints for personal identification for many decades. A fingerprint is the pattern of ridges and valleys on the surface of a fingertip. It has also been empirically determined that no two people have been found to have the same fingerprints not even identical twins.


2.0 Related Works

An assesment of PCA and DCT feature extraction alogrithms was carried out by Omidiora *et. al.*, (2008) for an access control system using faces. It was discovered that PCA performed better than DCT with a recognition accuracy of 90.43% and FAR and FRR of 0.1077 and

0.0609 respectively for an access control system. Ojo and Adeniran (2011) developed an algorithm for one-sample face recognition using HMM Model of fiducial areas. It used 2D Discrete Wavelet Transform to extract features from images and Hidden Markov Model was used for training, recognition and classification. 90% recognition accuracy was recorded when tested on a subset of AT&T face database. Adedeji *et al.*, (2012) carried out a performance evaluation of Optimized PCA (OPCA) and projection Combined PCA (PC)²A on facial images based on recognition accuracy, total training time and average recognition time. The results obtained indicated that OPCA performed better than (PC)²A. Aluko *et al.* (2015) also carried out a performance evaluation of selected Principal Component Analysis-based techniques for face image recognition. The performances of the techniques were evaluated based on recognition rate and recognition time. The results showed that PCA-ANN technique gave the best recognition rate with a trade-off in recognition time.

3.0 MATERIALS AND METHODS

The process flow of a biometric system is shown in Figure 1. The process flow shows the training and testing phases of the system. The training phase comprises the image database to be trained, the pre-processing component which prepares the images for feature extraction and the feature extraction component which generates feature vectors that serves as template to be used for matching. The training image database which is the first component of the training phase, stores the captured biometric images. The pre-processing component aggregates all the necessary image enhancement as well as normalization procedure necessary for uniformity in the image database. In this work, geometric and photometric normalization was done for all the captured face, iris and thumbprint images. After this, segmentation and normalization was performed to separate the iris from the remaining part of the captured eye image. Then the pre-processed images are then fed into the feature extraction component where relevant features were extracted using Discrete Wavelet Transform. Furthermore, from the feature extraction components, the feature vectors generated were saved for comparison. On the other hand, the component of the testing phase include the enrolled user to be identified, which passes through the pre-processing and feature extraction component, and the feature vectors generated is then compared with the stored training feature vectors by measuring the Euclidean distance between the two vectors in the component connecting the training and testing phase.



67

Figure 1: The Process of a Biometric System.

3.1 Implementation of the Proposed Biometric System

The implementation of the proposed biometric system was done with MATLAB version 12 with a system specification of 1.80GHz processor, 500GB of HDD (hard disk drive), 4GB of RAM, and 64 bit operating system on window 7 platforms.

3.2 Description of the Database Used

The proposed systems were validated on a subset of LAUTECH Non-Chimeric Multimodal database. This database consists of 924 images each of faces, left and right eye, left & right thumbprints of 154 individuals taken in an uncontrolled condition. Each biometric trait contains six samples. For this paper, 100 individuals were considered making a total of 600 images each for face, iris and fingerprint database. The whole image database was randomly partitioned into training and testing set. For each of the subjects in each database, 4 images were randomly selected as training samples stored in training folders and the remaining 2 images as testing samples were stored in the testing folders.

3.3 Preprocessing

This refers to a number of operations performed on images before feature extraction is done. This is done to boost the probability of undefeated recognition. For this work, the following were performed.

- a. **Geometric Normalization:** This was done to convert the images to the same resolution since they have different resolution. For face images, cropping was first performed using AdaBoost algorithm to retain only the face region with the extinction of areas such as ear

and fore-head without distortion. All images used were then resized to 100x100 pixels for uniformity.

- b. Photometric Normalization:** The aim of photometric normalization is to eliminate illumination effects, improve contrast, and enhance visual quality and to obtain a uniform histogram of the images. Histogram equalization was used to achieve this.
- c. Iris Segmentation:** Segmentation was performed using the Circular Hough Transform since it performs better than other localization techniques in case of occlusion due to eyelids and eyelashes. It is an automatic segmentation algorithm employed to deduce the radius and center coordinates of the pupil and iris region. Its parameters are the center coordinates x_c and y_c , and the radius r , which are able to define any circle according to the equation 1.

$$x_c^2 + y_c^2 - r^2 = 0$$

- d. Iris Image Normalization:** Normally, Irises from different people vary in size, even the irises from a single person, and this difference in size is due to illumination variation, pupil size and distance of the eye from the camera. To compensate for these different conditions and improve the precision of matching, Daugman's rubber sheet model was used which project the segmented disk into a rectangular region of fixed size. It unwraps the circular region of iris into a rectangular block of constant dimension.

3.4 Feature Extraction

This stage describes the extraction of unique characteristics which can represent an image. The goal of feature extraction is to bring out a set of features which can maximize the recognition rate with the least number of elements. Discrete Wavelet Transform (DWT) was adopted for a transformation based feature extraction two level decomposition was performed on the preprocessed images. The DWT coefficient matrices extracted forms an efficient representation of the images in a lower dimension space. The output of DWT was converted to feature vector to serve as input into the classification component.

3.5 Recognition of Biometric Traits

The most discriminating features extracted by DWT were encoded so that comparison between patterns can be made. The feature vectors corresponding to this subset pixels were used for the recognition process. The Euclidean distance between these vectors and the test

image vector is determined. The test image is assumed to fall in the same class that the closest training image belongs.

3.6 Performance Evaluation Metrics

The performance metrics considered in this paper are recognition accuracy, recognition time and Total training time.

- i. Recognition Accuracy: This is the percentage of all images that are correctly recognized out of the total images to be identified.
- ii. Recognition Time: This is total finite time (in seconds) taken for the system to identify and display results.
- iii. Total Training Time: This is the total training time taken to master each trait in the system.

4.0 Experimental Results and Discussion

The summary of the experimental results obtained for the developed system is presented in Table 1.

Table 1: Summary of Experimental results obtained.

Biometric System	Average Training Time (s)	Average Recognition Accuracy (%)	Average Recognition Time (s)
Face Recognition	5.84	83.33	5.11
Iris Recognition	3.65	85.50	3.05
Fingerprint Recognition	1.27	82.75	1.28

It was observed from the Table that fingerprint recognition system has the least training time of 1.27s while Face recognition system has the highest training time of 5.84s. It thus can be deduced from this result that face contains more features to be trained than any of Iris and fingerprint. Therefore, the more the features to be trained, the more the training time.

The average accuracy of the systems is shown in the third column of Table 1. Iris recognition system gave the highest accuracy of 85.5% which is an indication that it performs better than face and fingerprint (Wang, *et al.*, 2011). An accuracy of 83.33% was gotten with face; this relatively low value may be due to variations in facial expressions and illumination since the images were not captured under controlled environment and face recognition systems are easily degraded by the facial pose, expression and illumination factors (Kim *et al.*, 2012). The high recognition accuracy of iris recognition system is a pointer to the fact that iris contains more discriminating features than both face and fingerprint. However, the

recognition accuracy achieved by the three systems is more than the 80% performance benchmark prescribed in Phillips work (Phillips, Wechsler, Haung and Rauss, 1998).

Moreover, average recognition time of 5.11sec, 3.05sec and 1.28sec were obtained for face, iris and fingerprint system respectively. Fingerprint recognition system has the least average recognition time which is a very good attribute for a real time recognition system.

CONCLUSION AND FUTURE WORK

In this paper, performance evaluation of Face, Iris and Fingerprint recognition systems was carried out. Iris recognition system has the highest accuracy of 85.5% while the least average recognition time of 1.28sec was recorded with fingerprint, with images taken in an uncontrolled condition. This notwithstanding, all the systems performed more than the 80% accuracy and 60sec recognition time benchmark (Phillips, Wechsler, Huang and Rauss, 1998). However, future work can be tailored towards improving the time taken for recognition and training by incorporating a feature selection module into the systems to reduce the size of features used for training and testing. Also, effect of multiple instances of these traits on recognition accuracies can be investigated.

REFERENCES

1. Adedeji, O. T. Performance Evaluation of Selected PCA-Based Face Recognition Algorithms. M.Tech Thesis, Department of Computer Science and Engineering, Ladoko Akintola University of Technology Ogbomoso, Nigeria, 2011.
2. Adedeji, O. T, Omidiora E. O, Olabiyisi, O. S, & Adigun, A. A. Performance Evaluation of Optimised PCA and Projection Combined PCA methods in Facial Images. *Journal of Computations & Modelling*, 2012; 2(3): 17-29.
3. Adedeji O. T, Falohun A. S, Alade O. M, Omidiora E. O. and Olabiyisi S. O. Development of a Modified Clonal Selection Algorithm for Feature Level Fusion of Multibiometric System, LAUTECH Journal of Engineering and Technology, 2015; 9(2): 80-85.
4. Adegoke, B. O, Omidiora, E. O, Ojo, J. A. and Falohun, A. S. Iris Feature Extraction: A Survey, *Computer Engineering and Intelligent Systems*, 2013; 4(9): 7-13.
5. Ali M.M.H, Mahale V. H, Yannawar P. and Gaikwad A. T. Overview of Fingerprint Recognition Systems, International Conference on Electrical, Electronics and Optimization Techniques, 2016.

6. Aluko J. O, Omidiora E. O, Adetunji A. B. and Odeniyi O. A. Performance Evaluation of Selected Principal Component Analysis-Based Techniques for Face Image Recognition. *International Journal of Scientific and Technology Research*, 2015; 4(1): 35-41.
7. Daugman J. How Iris Recognition Works, *IEEE Transaction on Circuit System and Video Technology (CSVT)*, 2004; 14(1): 21-30.
8. Falohun A. Development of a Feature Extraction Method for Iris Recognition using Enhanced Inverse Analytical Fourier-Mellin Transform. *Unpublished Ph. D. Thesis*. Ladoke Akintola University of Technology, Ogbomoso, Nigeria, 2012.
9. Falohun A, Omidiora, E, Fakolujo, A., Afolabi, O., Oke, A., & Ajala, F. Development of a biometrically-controlled door system (using iris), with power backup. *AJSIR*, 2012; 3(4): 203-207.
10. Jain A. K and Ross A. Multibiometric systems, *Communications of the ACM*, Special issue on Multimodal Interfaces, 2004; 47(1): 34-40.
11. Kim Y. G., Shin K. Y., Lee E. C. and Park K. R., Multimodal Biometric System based on the Recognition of faces and Both Irises, *International Journal of Advanced Robotic Systems*, 2012; 9(65): 1-6.
12. Krishneswari K. and Arugman S. Multimodal Biometrics Using Feature Fusion, *Journal of Computer Science*, 2012; 8(3): 431-435.
13. Ojo J. A. and Adeniran S. A. One-sample Face recognition using HMM Model of Fiducial Areas. *International Journal of Image Processing (IJIP)*, 2011; 5(1): 22-37.
14. Omidiora E. O. A Prototype of Knowledge-based System for Black Face Recognition System using Principal Component Analysis and Fisher Discriminant Algorithms, *Unpublished Ph. D. Thesis*, Ladoke Akintola University of Technology, Ogbomoso, Nigeria, 2006.
15. Omidiora, E., Fakolujo, O., Ayeni R., Olabiyisi, S., & Arulogun, O. Quantitative evaluation of principal component analysis and fisher discriminant analysis techniques in face images. *Journal of Computer and its Application*, 2008; 15(1): 22-37.
16. Phillips P. J., Wechsler H., Haung J. and Rauss P. J. The FERET database and Evaluation Procedure for Face Recognition Algorithms, *Image and Vision Computing*, 1998; 16(5): 295-306.
17. Wang Z., Wang E., Wang S., and Ding Q. Multimodal Biometric System Using Face-Iris Fusion Feature, *Journal of Computers*, 2011; 6(1): 931-938.